EXHIBIT 10

Align


@earlinput

BLAST 2 SEQUENCES

This tool produces the alignment of two given sequences using BLAST engine for local alignment. The stand-alone executable for blasting two sequences (bl2seq) can be retrieved from NCBI ftp site

Reference: Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences". FEMS Microbiol Lett. 174:247-250 Program BIRGO Matrix BIROSUM62 Parameters used in BLASTN program only: Reward for a match: Penalty for a mismatch: Use Mega BLAST Strand option Not Applicable 300 (2) Open gap 11 and extension gap 1 penalties gap x_dropoff 50 expect 10.0 word size 3 Filter 🔀 Sequence 1 Enter accession or GI seq 1d 2 or download from file or sequence in FASTA format from: 0 P20AT72PTDD1GU25.tE21D5.tH9T2325.ht712F92DUGTK2D7mDk2GFUA5H12MG lwiwgwakiqdpepassatiidpqkanrfhrillliwlpagyvpspkhrspliantlwgnm LLATESLKNSAELTPSDHPFWGITGGGLGMMVYQDPRENHPGFHMRSSGYSAGMIAGQTHT FSLKPSQTYTKLNERYAKNNVSSKNYSCQGEMLFSLQEGFLLTKLVGLYSYGDHNCHHFYT qgenltsqgtfrsqtmggavffdlpmkpfgsthiltapflgalgiysslshftevgayprs PSTKTPLINVLVPIGVKGSFMNATQRPQAWTVELAYQPVLYRQEPGIATQLLASKGIWFGS GSPSSRHAMSYKISQQTQPLSWLTLHFQYHGFYSSSTFCNYLNGEIALRF Sequence 2 Enter accession or GI pomp90b or download from file to:lo or sequence in FASTA format from: 0 TTINAVALVUALGAATEUPTLATSKPFTALVATTAASTVIQPTUALTATVPFTATGIQGA wtvtwdtetatktatliweqtgyspnperqgplvpntlwgapsdlraiqnlmdisvngad YHRGFWYSGLANFLHKSGSDTKRKFRHNSAGYALGVYAKTPSDDIFSAAFCQLFGKDKDY LVSKNNANIYAGSLYYQHISYWSAWQNLLQNTIGAEAPLVLNAQLTYCHASNDMKTNMTT TYAPRKTTYAEIKGDWGNDCFGVELGATVPIQTESSLLFDMYSPFLKFQLVHTHQDDFKE nnsdogryfessnltnlslpigikferfanndtasyhvtaayspdivrsnpdcttsllvs PDSAVWYTKANNLARSAFMLQAGNYLSLSHNIEIFSQFGFELRGSSRTYNVDLGSKIQF

Comments and suggestions to blast-help@ncbi.nlm.nih.gov



Blast 2 S quences r sults

BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.2.3 [Apr-24-2002]


Matrix BEOSEM62 gap open: 11 gap extension: 1

x_dropoff: 50 expect: 10.0 wordsize: 3 Filter ✓ Align

Sequence 1 lcl|seq_1 Length 965 (1.965)

Sequence 2 lcl|seq_2 Length 839 (1..839)





NOTE: The statistics (bitscore and expect value) is calculated based on the size of nr database

Score = 153 bits (386), Expect = 2e-35 Identities = 201/781 (25%), Positives = 320/781 (40%), Gaps = 114/781 (14%)

Query: 189 TFVVSENQSCFLFMDNICIQTNTAGKGGAIYA-GTSNSFESNNCDLFFINNACCAGGAIF 247 CF DNI T TA GAI G + + LF + A C G Sbjct: 85 TFLGNGYTLCF---DNI---TTTASNPGAINVQGQGKTLGISGFSLF--SCAYCPPGTTG 136 Query: 248 SPICSLTGN----RGNIVFYNNRCFKNVETASSEASDGGAIKVTTRLDVT---GNRGRI 299 N ++VF+ KN TA +CCAT+ D -EGGAIQCKGSSDAELKIENNQNL 186 Sbjct: 137 YGAIQTKGNTTLKDNSSLVFH----KNCSTA---Query: 300 FFSDNITKNYGGAIYAPWVTLVDNGPTYFXXXXXXXXXXX----XXXXDGTSNSKISADR 354 D + , ++AD FS+N + + GGAIYA +T+V GPT F Sbjct: 187 VFSENSSTSKGGAIYADKLTIVSGGPTLFSNNSVSNGSSPKGGAISIKDSSGECSLTADL 246 Query: 355 Haiifnenivinvinangistsanpprrnaitvasssgeillgagssonlipydpievsn 414 + FYDPI I F+ N + + + T T RN+I + + LA. Sbjct: 247 GDITFDGNKIIKTSGGSSTVT-----RNSIDLGTGKFT-KLRAKDGFGIFFYDPITGGG 299 Query: 415 AG-VSVSFNKEADQTGSVVFSGATVNSAD-FHQRNLQTKTPAPLTLSNGFLCIEDHAQLT 472 P+TLS G L ++D ++++ + D TG +VFSG ++ + NL + Sbjct: 300 SDELNINKKETVDYTGKIVFSGEKLSDEEKARAENLASTFNQPITLSAGSLVLKDGVSVT 359 Query: 473 VNRFTQ-TGGVVSLGNGAVLSCYKNGAGNSASNASITLKHIGLNLSSILKSGAEIPLLNV 531 +ITL ++ +N++S+ + TQ G V + G L +G Sbjct: 360 AKQVTQEAGSTVVMDLGTTLQTPSSGG-----ETITLTNLDINIASLGGGGG------ 407 Query: 532 EPTNNSNNYTADTAATFSLSDVKLSLIDDYGNSPYESTDLTHALSSQPMLSISEASDNQL 591 P + N TA A T + · ++L+D GN+ YE L +S+P +I Sbjct: 408 SPAKLATN-TASQAITINA----VNLVDADGNA-YEDPILA---TSKPFTAIVATTNAST 458 Query: 592 RSDDMDFSGLNVP--HYGWQGLWTWGWAKTQDPEPASSATITDPQKANRPHRTLLLTWLP 649 VP HYG+QG WT W +T LTW DEA+ Sbjct: 459 VTQPTDNLTNYVPPTHYGYQGNWTVTW----DTETAT----Query: 650 AGYVPSPKHRSPLIANTLWG--NMLLATESLKNSAELTPSDHPFWGITGGGLGMMVYQDP 707 GY P+P+ + PL+ NTLWG + L A ++L + + H G Sbjct: 501 TGYSPNPERQGPLVPNTLWGAFSDLRAIQNLMDISVNGADYHR--GFWVSGLANFLHKSG 558 Query: 708 RENHPGFHMRSSGYSAGMIA--GQTHTFSLKFSQTYTKLNE-RYAKN--NVSSKNYSCQG 762

```
F S+GY+ G+ A FS F Q + K + +KN N+ + +
Sbict: 559 SDTKRKFRHNSAGYALGVYAKTPSDDIFSAAFCQLFGKDKDYLVSKNNANIYAGSLYYQH 618
Query: 763 EMLFSLQEGFLLTKLVGLYSYGDHN----CHHFYTQGENLTS------QGTFR +S + LL +G + N CH N+T+ +G +
Sbjct: 619 ISYWSAWON-LLONTIGAEAPLVLNAQLTYCHASNDMKTNMTTTYAPRKTTYAEIKGDWG 677
Query: 806 SQTMGGAVFFDLPMKPFGSTHI-LTAPFLGALGIYSSLSHFTEVGAYPRSFSTKTPLINV 864
           + G + +P++ S + +PFL 3 +++ F E + 3 + 1 + L N+
Sbjct: 678 NDCFGVELGATVPIQTESSLLFDMYSPFLKFQLVHTHQDDFKENNSDQGRYFESSNLTNL 737
Query: 865 LVPIGVKGSFMNATQRPQAWTVELAYQPVLYRQEPGIATQLLAS--KGIWFGSGSPSSRH 922
                         ++ V AYP + R P TLLS +W + +R
            +PIG+K A
Sbjct: 738 SLPIGIKFERF-ANNDTASYHVTAAYSPDIVRSNPDCTTSLLVSPDSAVWVTKANNLARS 796
Query: 923 A 923
Sbjct: 797 A 797
                                                         0.25 total secs.
CPU time: 0.21 user secs.
                                 0.04 sys. secs
Lambda K H
           0.133 0.397
   0.317
Gapped
          K H
Lambda
  mbda x ...
0.267 0.0410 0.140
Matrix: BLOSUM62
 Gap Penalties: Existence: 11, Extension: 1
Number of Hits to DB: 9430
 Number of Sequences: 0
 Number of extensions: 782
 Number of successful extensions: 11
 Number of sequences better than 10.0: 1
 Number of HSP's better than 10.0 without gapping: 1
 Number of HSP's successfully gapped in prelim test: 0
 Number of HSP's that attempted gapping in prelim test: 0
 Number of HSP's gapped (non-prelim): 2
 length of query: 965
 length of database: 326,943,915
 effective HSP length: 134
 effective length of query: 831
 effective length of database: 281,544,581
 effective search space: 233963546811
 effective search space used: 233963546811
 T: 9
 A: 40
 X1: 16 ( 7.3 bits)
 X2: 129 (49.7 bits)
X3: 129 (49.7 bits)
 S1: 41 (21.6 bits)
 S2: 78 (34.7 bits)
```

BLAST 2 SEQUENCES

This tool produces the alignment of two given sequences using BLAST engine for local alignment.

The stand-alone executable for blasting two sequences (bl2seq) can be retrieved from NCBI ftp site

Reference: Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences",

FEMS Microbiol Lett. 174:247-250

Program Diastress Matrix BEOSUMO		
Parameters used in <u>BLASTN</u> program only: Reward for a match: Penalty for a mismatch:		
Use Mega BLAST Strand option NovApplicable		
Open gap 11 and extension gap 1 penalties gap x_dropoff 50 expect 10.0 word size 3 Filter Ahons		
Sequence 1 Enter accession or GI seqid 2 or download from file		
or sequence in FASTA format from: 0 to: 0		•
LSDVALSLIDDYGNSFIESTDLITHALSSQFMLSISEASLNQLKSUUMDFSGLNVFHYGWG LWTWGWAKTQDPEPASSATITDPQKANRFHRTLLITWLPAGYVPSPKHRSPLIANTLWGNM LLATESLKNSAELTPSDHPFWGITGGGLGMMVYQDPRENHPGFHMRSSGYSAGMIAGQTHT FSLKPSQTYTKLNERYAKNNVSSKNYSCQGEMLPSLQEGFLLTKLVGLYSYGDHNCHHFYT QGENLTSQGTFRSQTMGGAVFFDLPMKPFGSTHILTAPFLGALGIYSSLSHFTEVGAYPRS FSTKTPLINVLVPIGVKGSFMMATQRPQAWTVELAYQFVLYRQEPGIATQLLASKGIWFGS GSPSSRHAMSYKISQQTQPLSWLTLHFQYHGFYSSSTFCNYLMGEIALRP		
	<u></u>	-
Sequence 2 Enter accession or GI pomp91a or download from file	and the second s	
or sequence in FASTA format from: 0 to: 0		
HIGIQGNWTVTWAQGSSAQEATATLTWEQTGISPNPEKQSSLVPNTLWGSFSULKALQNL MDISVNGADYHRGFWVSGLGNFLHKSGSDTKRKFRHNSAGYALGVYAQTPSEDVFSAAFC QLFGKDKDYLVSKNSSTVYAGSIYYQHISYWNTWNTLLQNTLGAEAPLVLNAQLAYCHAS NNMKTNMTDTYAPPKTTYSEIKGDWGNDCFGVEFGAKAPIETASLLFDMYSPFVKLQLVH AHQDDFKENNSDQGRYFESNNLTNLSMPIGVKLEKFSHKDTASYNLTLAYAPDIVRSNPD CTASLLVSPTSAVWVTKANNLARHAFILQAGNYLALTRNTELFSQFGFELRGSCRTYNID LGSKIQF		
Aim (Caronic		

Comments and suggestions to blast-help@ncbi.nlm.nih.gov



Blast 2 Sequ nces r sults

BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.2.3 [Apr-24-2002]


Matrix 3B50\SELV62 \ gap open: 11 gap extension: 1

x_dropoff: 50 expect: 10.0 wordsize: 3 Filter Align:

Sequence 1 lcl|seq_1 Length 965 (1..965)

Sequence 2 lcl|seq_2 Length 847 (1..847)





NOTE: The statistics (bitscore and expect value) is calculated based on the size of nr database

Score = 165 bits (417), Expect = 4e-39
Identities = 189/767 (24%), Positives = 308/767 (39%), Gaps = 101/767 (13%)

Query: 200 LFMDNICIQTNTAGKGGAIYAGTSNSFESNNCDLFFINNACCAGGAIFSPICSLTGN--- 256 +GT+ + + + LF + A C GA DNI T ++ G Sbjct: 97 LCFDNIT--TQSSHPGAISVSGTNKTLDISGFSLF--SCAYCPPGATGYGAIKAVGNTTI 152 Query: 257 -- RGNIVFYNNRCFKNVETASSEASDGGAIKVTTRLDVTGNRGRIFFSDNITKNYGGAIY 314 L + N+ +F ++N + + GGAIY KN T A A Sbjct: 153 KDNSSLVFH-----KNCSTGEGGAIQCKASSSEAELKIENNQNLVF-AENSSSSSGGAIY 206 Query: 315 APVVTLVDNGPTYFXXXXXXXXXXXXXXXXXXX ---- DGTSNSKISADRHAIIFNENIVTNVTNA 370 I F+ N + ם ++AD A +T+V GPT F Sbjct: 207 ADKLTIVSGGPTLFSNNSVSASSPKGGAICIKDSGGECSLTADLGDITFDGNKIIKTNGG 266 Query: 371 NGTSTSANPPRRNAITVASSSGEILLGAGSSQNLIFYDPIEVSNAGVSVSFNKE--ADQT 428 ++ NK+ D T RN+I + SS + FYDPI TT --RNSIDLGSSGKFTKLNAKEGFGIFFYDPI-TGGGSDELNINKQDTVDYT 319 Sbjct: 267 SPTVT-Query: 429 GSVVFSGATVNSADFH-QRNLQTKTPAPLTLSNGFLCIEDHAQLTVNRFTQT-GGVVSLG 486 FTQT G V + NI_c++ PL + +G L ++D L G +VFSG ++ + Sbjct: 320 GKIVFSGERLSDEEKKVAANLKSDFKQPLKIGSGSLILKDGVTLETKSFTQTEGATVVMD 379 Query: 487 NGAVLSCYKNGAGNSASNASITLKHIGLNLSSILKSGAEIPLLWVEPTNNSNNYTADTAA 546 VETS T+ G +ITL ++ +N++S+ ---ETITLTNLDINVASLGGGGVAPDPAKVEATTESKTVTINA-- 431 Sbict: 380 LGTTLQTPSSGG-Query: 547 TFSLSDVKLSLIDDYGNSPYESTDLTHALSSQPMLSIS--EASDNQLRSDDMDFSGLNVP 604 ++L+DD GN+ YE L +SQP +I Sbjct: 432 ------VNLVDDNGNA-YEYPILA---ASQPFTAIEVRSGSSGSITKPTTNLENYTPP 479 Query: 605 -HYGWQGLWTWGWAKTQDPEPASSATITDPQKANRFHRTLLLTWLPAGYVPSPKHRSPLI 663 GY P+P+ + L+ +T LTW HYG+QG WT W + SSA -EKTATLTWEQTGYSPNPERQGSLV 523 Sbjct: 480 THYGYQGNWTVTWKQ-----GSSAQ-Query: 664 ANTLWGNMLLATESLKNSAELTPSDHPFW-GITGGGLGMMVYQDPRENHPGFHMRSSGYS 722 S+GY+ +++N +++ + G GLG +++ Sbjct: 524 PNTLWGS-FSDIRAIQNLMDISVNGADYHRGFWVSGLGNFLHKSGSDTKRKFRHNSAGYA 582

Query: 723 AGMIA--GQTHTFSLKFSQTYTKLNERYAKNINVSSKNYSCQGEMLF-----SLQE 770 http://www.ncbi.nim.nih.gov/blast/bi2seq/bi2.html

```
FS F Q + K ++ Y + SS Y+ G + +
         G+ A
Sbjct: 583 LGVYAQTPSEDVFSAAFCQLFGK-DKDYLVSKNSSTVYA--GSIYYQHISYWNTWNTLLQ 639
Query: 771 GFLLTKLVGLYSYGDHNCHHFYTQGENLTS---
                                       -----QGTFRSQTMGGAVFFDLP 818
         L + + + GH N+T +G + + G
Sbjct: 640 ntlgaeaplvlnaqlaychasnnmktnmtdtyappkttyseikgdwgndcfgvefgakap 699
                     अस्तिक एक विश्वविकास
Query: 819 MKPFGSTHILTAPFLGALGIYSSLSHFTEVGAYPRSFSTKTPLINVLVPIGVKGSFMNAT 878
         Sbjct: 700 IETASLLFDMYSPFVKLQLVHAHQDDFKENNSDQGRYFESNNLTNLSMPIGVKLEKF-SH 758
Query: 879 QRPQAWTVELAYQPVLYRQEPGIATQLLAS--KGIWFGSGSPSSRHA 923
+ ++ + LAY P + R P LL S +W + +RHA
Sbjct: 759 KDTASYNLTLAYAPDIVRSNPDCTASLLVSPTSAVWVTKANNLARHA 805
                         0.03 sys. secs
          0.22 user secs.
                              H
  0.317 K
Lambda
        0.133 0.397
Gapped
Lambda K H
  0.267 0.0410 0.140
Matrix: BLOSUM62
Gap Penalties: Existence: 11, Extension: 1
```

Number of Hits to DB: 9976 Number of Sequences: 0 Number of extensions: 824 Number of successful extensions: 14 Number of sequences better than 10.0: 1 Number of HSP's better than 10.0 without gapping: 1 Number of HSP's successfully gapped in prelim test: 0 Number of HSP's that attempted gapping in prelim test: 0 Number of HSP's gapped (non-prelim): 2 length of query: 965 length of database: 326,943,915 effective HSP length: 134 effective length of query: 831 effective length of database: 281,544,581 effective search space: 233963546811 effective search space used: 233963546811 T: 9 A: 40 X1: 16 (7.3 bits) X2: 129 (49.7 bits) X3: 129 (49.7 bits) S1: 41 (21.6 bits) S2: 78 (34.7 bits)


BLAST 2 SEQUENCES

This tool produces the alignment f tw given sequences using BLAST engine for local alignment. The stand-alone executable for blasting two sequences (bl2seq) can be retrieved from NCBI ftp site

Reference: Tatiana A. Tatusova, Thomas L. Madden (1999), "Blast 2 sequences - a new tool for comparing protein and nucleotide sequences", FEMS Microbiol Lett. 174:247-250 Program blasips A Matrix BESOSUMOS A Parameters used in **BLASTN** program only: Reward for a match: Penalty for a mismatch: Use Mega BLAST Strand option Not Applicable Control and extension gap 1 penalties Open gap 11 gap x_dropoff 50 expect 10.0 word size 3 Filter 🔀 Sequence 1 Enter accession or GI seq 1d 2 or download from file or sequence in FASTA format from: 0 to: 0 PONAVTORINDIGUORI EQINRILHYTOOÖRWP2TOEYONOTKPANWINKOGTUARUIGWÖG Lwtwgwaktodpepassatitdpokanrfhrtllltwlpagyvpspkhrspliantlwgnm Llateslknsaeltpsdhpfwgitggglgmnvyqdprenhpgfhmrssgysagmiagqtht FSLKFSQTYTKLNERYAKNIVSSKNYSCQGEMLFSLQEGFLLTKLVGLYSYGDHNCHHFYT QGENLTSQGTFRSQTMGGAVFFDLPMKPFGSTHILTAPFLGALGIYSSLSHFTEVGAYPRS PSTKTPLINVLVPIGVKGSFMNATQRPQAWTVELAYQPVLYRQEPGIATQLLASKGIWFGS GSPSSRHAMSYKISQQTQPLSWLTLHFQYHGFYSSSTFCNYLNGEIALRF Sequence 2 Enter accession or GI pomp91b or download from file or sequence in FASTA format from: 0 to: 0 DTPANGUMI SKRLMAPSPEAUL FUVPRPRILLKKULKULDARI VERA I MÅLLPINA CPURLCÄ LFGKDKDYFVSKNSSTIYAGSIYYQHISYWNTWNTLLQNTLGAEAPLVLNAQLTYCHASN NMKTNMTNTYTPKNVTPSEIKGDWGNDCFGVEFGAKAPIETASLLFDMYSPFVKLQLVHA HODDFKENNSDQGRYFESNNLTNLSMPIGVKLEKFSHKDTASYNLTLAYAPDIVRSNPDC Tasllvsptsavwvtkannlarhafilqagnylaltrntelfsqfgfelrgscrtynidl GSKIQF

Comments and suggestions to blast-help@ncbi.nlm.nih.xov

(Glear-Impul)





BLAST 2 SEQUENCES RESULTS VERSION BLASTP 2.2.3 [Apr-24-2002]

Matrix BEOSOM62 gap open: 11 gap extension: 1 x_dropoff: 50 expect: 10.0 wordsize: 3 Filter Align

Sequence 1 Icl|seq_1 Length 965 (1..965)

Sequence 2 lcl|seq_2 Length 846 (1..846)





NOTE: The statistics (bitscore and expect value) is calculated based on the size of nr database

Score = 151 bits (382), Expect = 5e-35 Identities = 184/790 (23%), Positives = 312/790 (39%), Gaps = 101/790 (12%)



Query: 182 GAISTANTFVVSENQSCFLFMDN---IC---IQTNTAGKGGAIYAGTSNSFESNNCDLFF 235 F+ N +C ' I T ++ G +GT+ + + +

G S N SE Sbjct: 68 GKDSPLNKSCFSETTENLSPIGNGYTLCFDNITTQSSHPGAISVSGTNKTLDISGFSLFS 127

Query: 236 INNACCAG----GAIFSPICSLTGNRGNIVFYNNRCFKNVETASSEASDGGAIKVTTRLD 291

GAI + + ++VF+ KN TA A T L Sbjct: 128 CAYCCPPGTTGYGAIQTKGTTTLKDNSSLVFH----KNCSTAEGGAIQCKSSSSTAELK 182

----DGTS 346 + N+ +F S+N +K GGAIYA +T+V GPT F D

Sbjct: 183 LENNKNLVF-SENSSKEKGGAIYADKLTIVSGGPTLFSNNSVSHNSSPKGGAICIKDSDG 241

Query: 347 NSKISADRHAIIFNENIVTNVTNANGTSTSANPPRRNAITVASSSGEILLGAGSSONLIF 406

++A+ I F+ N + . + T T RN+I + S -RNSIDLGSGGKFTKLNAKEGFGIFF 295 Sbjct: 242 ECSLTANLGDITFDGNKIITTNGGSPTVT--

Query: 407 YDPIEVSNAGVSVSFNK---PADQTGSVVFSGATVNSADFH-QRNLQTKTPAPLTLSNGF 462 PL + G NI.++

+ NK + TG +VFSG ++ + Sbjct: 296 YDPIANTGGSTEIELNKTESDTTYTGKIVFSGEKLSDEEKTVPANLKSYFKQPLKIGAGS 355

Query: 463 LCIEDHAQLTVNRFTQT-GGVVSLGNGAVLSCYKNGAGNSASNASITLKHIGLNLSSILK 521

L + TQT G V + G L S+S +ITL ++ +N++S+ Sbjct: 356 LVLKDGVTLEAKKITQTKGSTVVMDLGTTLQT------PSSSGETITLTNLDINIASLGG 409

Query: 522 SGAEIPLLWVEPTNNSNNYTADTAATFSLSDVKLSLIDDYGNSPYESTDLTHALSSQPML 581 A A+ ++S ++L++ N+ YE L+ + S

---LATNTASQAISIAAVNLVNTDSNT-YEDPILSASKSFSAIT 457 Sbjct: 410 GGGTAPAK-----

Query: 582 SISEASDNQLRSDDMDFSGLNVP-HYGWQGLWTWGWAKTQDPEPASSATITDPQKANRFH 640

+ + +S + + + P HYG+QG WT W + SSA

--GSSAQ-----E 499 Sbjct: 458 ATTSSST--VTPPETNLKNYTPPTHYGYQGNWTVTWKQ-

Query: 641 RTLLLTWLPAGYVPSPKHRSPLIANTLWGNMLLATESLKNSAELTPSDHPF-WGITGGGL 699 T +++N +++ + G L+ NTLWG

+T LTW GY P+P+ Sbjct: 500 KTATLTWEQTGYSPNPERVGSLVPNTLWG-AFSDTRAIQNLMDISVNGADYSRGFWVSSL 558

http://www.ncbl.nlm.nlh.gov/blast/bi2seq/wblast2.cgi?

```
Query: 700 GMMVYQDPRENHPGPHMRSSGYSAGMIA--GQTHTPSLKFSQTYTKLNERYAKNNVSSKN 757
            + + + F S+GY+ G+ A S F Q + K + + N SS
Sbjct: 559 ANFLNKSGSDTKRKFRHHSAGYALGVYAQTPSDDVCSAAFCQLFGKDKDYFVSKN-SSTI 617
                         . . . . . .
Query: 758 YSCQGEMLF-----SLQEGFLLTKLVGLYSYGDHNCHHFYTQGENLTS---
Y+ G + + + L + L + + CH N+T+
Sbjct: 618 YA--GSIYYQHISYWNTWNTLLQNTLGAEAPLVLNAQLTYCHASNNMKTNMTNTYTPKNV 675
Query: 801 ---- QCTFRSQTMCGAVFFDLPMKPFGSTHILTAPFLGALGIYSSLSHFTEVGAYPRSF 855
                                       + +PP+ +++
              - +G + + - G . . . . P++ .
Sbjct: 676 TPSEIKGDWGNDCFGVEFGAKAPIETASLLFDMYSPFVKLQLVHAHQDDFKENNSDQGRY 735
Query: 856 STKTPLINVLVPIGVKGSFMNATQRPQAWTVELAYQPVLYRQEPGIATQLLAS--KGIWF 913
                                                         LL S +W
               L N+ +PIGVK + + ++ + LAY P + R P
Sbjct: 736 FESNNLTNLSMPIGVKLEKF-SHKDTASYNLTLAYAPDIVRSNPDCTASLLVSPTSAVWV 794
Query: 914 GSGSPSSRHA 923
             + +RHA
Sbict: 795 TKANNLARHA 804
            0.25 user secs.
                                                           0.28 total secs.
                                   0.03 sys. secs
CPU time:
1.ambda
   0.317 0.133 0.397
Gapped
Lambda
   0.267 0.0410 0.140
Matrix: BLOSUM62
 Gap Penalties: Existence: 11, Extension: 1
 Number of Hits to DB: 9987
 Number of Sequences: 0
 Number of extensions: 805
 Number of successful extensions: 11
 Number of sequences better than 10.0: 1
 Number of HSP's better than 10.0 without gapping: 1
 Number of HSP's successfully gapped in prelim test: 0
 Number of HSP's that attempted gapping in prelim test: 0
 Number of HSP's gapped (non-prelim): 2
 length of query: 965
 length of database: 326,943,915
 effective HSP length: 134
 effective length of query: 831
 effective length of database: 281,544,581
 effective search space: 233963546811
 effective search space used: 233963546811
 T: 9
 A: 40
 X1: 16 ( 7.3 bits)
 X2: 129 (49.7 bits)
X3: 129 (49.7 bits)
 S1: 41 (21.6 bits)
 s2: 78 (34.7 bits)
```